








MISTER RADIATOR CO.,LTD





Generator radiator catalog






Generator radiator

51101 	51102 
Engine model:Cummins 4BTA Overall dimension:950(H)*705(W)*320(T) Core size: 688(H)*641(W)* 70(T)	Engine model:Cummins 4BTAA Overall dimension: 950(H)*707(W)*375(T) Core size: JW555(H)*641(W)* 70(T) AC 405(H)*618(W)* 41(T)
51103 	51104 
Engine model:Cummins 6BTA Overall dimension: 1149(H)*785(W)*525(T) Core size: 744(H)*714.5(W)* 88(T)	Engine model:Cummins 6BTAA Overall dimension: 1147(H)*785(W)*575(T) Core size: JW740(H)*725(W)* 106(T) A C 705(H)*714(W)* 62(T)


51105 	51106 
Engine model:Cummins 6CTA Overall dimension: 1282(H)*945(W)*466(T) Core size: 880(H)*882.5(W)*106(T)	Engine model:Cummins 6CTAA Overall dimension: 1334(H)*945(W)*537(T) Core size: JW880(H)*882(W)* 106(T) A C 878(H)*831(W)* 41(T)
51201 	51202 
Engine model:CumminsMTA11-G2 Overall dimension: 1396(H)*972(W)*562(T) Core size: 920(H)*890(W)* 88(T)	Engine model:CumminsMTAA11-G3 Overall dimension: 1375(H)*972(W)*645(T) Core size: JW920(H)*890(W)* 88(T) A C 762(H)*909(W)* 62(T)

51203




Engine model: Cummins NTA855GA
 Overall dimension: 1435(H)*1050(W)*656(T)
 Core size: 965(H)*935(W)*88(T)

51204




Engine model: Cummins NTA855G1/G2/G3/G4
 Overall dimension: 1435(H)*1050(W)*656(T)
 Core size: 965(H)*935(W)*106(T)

51205




Engine model: Cummins NTAA855-G7/G7A
 Overall dimension: 1460(H)*1154(W)*880(T)
 Core size: JW994(H)*1008.5(W)*106(T)
 A C 944(H)*940(W)*41(T)

51206




Engine model: Cummins KTA19-G2/G3/G4/G8
 Overall dimension: 1375(H)*972(W)*645(T)
 Core size: 1234(H)*1261(W)*106(T)

51207




Engine model: CumminsKTAA19-G6/G7
 Overall dimension: 1545(H)*1760(W)*909(T)
 Core size: JW1330(H)*1471(W)* 106(T)
 A C 1320(H)*1418(W)* 62(T)

51208




Engine model: CumminsKTA38-G2
 Overall dimension: 2057(H)*1980(W)*867(T)
 Core size: 1524(H)*1838(W)* 88(T)

51209




Engine model: CumminsKTA38-G5
 Overall dimension: 2057(H)*2020(W)*867(T)
 Core size: 1524(H)*1838(W)* 88(T)

51210



Engine model: CumminsKTA38-G9
 Overall dimension: 2055(H)*1830(W)*1054(T)
 Core size: 1650(H)*1744(W)*130(T)

51211




Engine model:CumminsKTA50-G3

Overall dimension:1970(H)*2010(W)*1132(T)

Core size: 1600(H)*1792(W)* 106(T)

51212




Engine model:CumminsKTA50-G8

Overall dimension: 2080(H)*2010(W)*1335(T)

Core size: JW1700(H)*1792(W)* 106(T)

A C 1700(H)*1792(W)* 52(T)

51213




Engine model:CumminsQSK19-G3

Overall dimension:1685(H)*1476(W)*812(T)

Core size: JW1225(H)*1254(W)* 106(T)

A C 1289(H)*1248W)* 62(T)

51214




Engine model:CumminsQSK38-G

Overall dimension: 2370(H)*2184(W)*967(T)

Core size: 1905(H)*2105(W)*106(T)

51215




Engine model:CumminsQST30-G4

Overall dimension:2137(H)*2020(W)*1132(T)

Core size: JW1650(H)*1770(W)* 70(T)

A C 1650(H)*1770(W)* 52(T)

51216




Engine model:CumminsQSK60-G3/G4

Overall dimension: 2283(H)*2250(W)*1396(T)

Core size: JW1724(H)*2070(W)* 106(T)

A C 1724(H)*2070(W)* 70(T)

51217




Engine model:CumminsQSK60-G8

Overall dimension:3038(H)*2495(W)*1674(T)

Core size: JW2333(H)*2419(W)* 70(T)

A C 2333(H)*2419(W)* 52(T)





51218







Engine model:CumminsVTA28-G5


Overall dimension: 1970(H)*1832(W)*838(T)

Core size: 1600(H)*1768(W)*70(T)

51219  Engine model: CumminsVTA28-G6 Overall dimension: 1885(H)*1874(W)*817(T) Core size: 1524(H)*1635(W)* 106(T)	51216  Engine model: CumminsKTA50-GS8 Overall dimension: 2008(H)*2108(W)*1340(T) Core size: JW1631(H)*1881(W)* 106(T) A C 1631(H)*1881(W)* 52(T)
52001  Engine model: Perkins 403D-15G Overall dimension: 555(H)*452(W)*210(T) Core size: 400(H)*422.5(W)* 52(T)	52002  Engine model: Perkins 404D-22G Overall dimension: 555(H)*452(W)*210(T) Core size: 400(H)*430(W)* 70(T)


52003 	52004 
Engine model:Perkins 1103A-33G Overall dimension:900(H)*600(W)*410(T) Core size: 600(H)*571(W)* 52(T)	Engine model:Perkins 1103A-33TG1/TG2 Overall dimension:900(H)*700(W)*410(T) Core size: 600(H)*671(W)*70(T)
52005 	52006 
Engine model:Perkins4006-23TAG3A Overall dimension:2038.5(H)*1706(W)*943(T) Core size: JW1523(H)*1612(W)* 88(T) A C 1510(H)*1554(W)* 90(T)	Engine model:Perkins 4008-TAG2A Overall dimension:2092(H)*1952(W)*1026.5(T) Core size: JW1642(H)*1952(W)* 88(T) A C 1595(H)*1866(W)* 90(T)

52007




Engine model:Perkins 4012-46TAG2A
 Overall dimension:2300.5(H)*2182(W)*1130(T)
 Core size: JW1793(H)*2100(W)* 88(T)
 A C 1765(H)*2037(W)* 90(T)

52008




Engine model:Perkins 4012-46TAG3A
 Overall dimension:2650.5(H)*2164(W)*1060(T)
 Core size: JW2188(H)*2078(W)* 106(T)
 A C 2082(H)*2008(W)* 90(T)

52009







Engine model:Perkins 4006-46TWG2A
 Overall dimension:2174(H)*1970(W)*921.5(T)
 Core size: 1753(H)*1881(W)* 88(T)


52010



Engine model:Perkins 4016-TAG2A
 Overall dimension:2856(H)*2788(W)*1152.5(T)
 Core size: JW2300(H)*2602.5(W)*103(T)
 A C 2295(H)*2530(W)* 90(T)


52011 	53001 
Engine model:Perkins 4016-61TRG3 Overall dimension:2626.2(H)*2208(W)*1478(T) Core size: JW2133.5(H)*2127(W)*150(T) A C 2133.5(H)*2127(W)* 88(T)	Engine model:MTU12V4000G23 Overall dimension:2283.5(H)*2352(W)*1695(T) Core size: JW1722(H)*2127(W)*88(T) A C 1693.5(H)*2127(W)* 52(T)
53002 	53003 
Engine model:MTU 12V4000G63 Overall dimension:2283.5(H)*2352(W)*1740(T) Core size: JW1722(H)*2127(W)*88(T) A C 1693.5(H)*2127(W)* 52(T)	Engine model:MTU 16V4000G23/G63 Overall dimension:2561(H)*2740(W)*1842(T) Core size: JW1977(H)*2463(W)*70(T) A C 1977(H)*2463(W)* 52(T)

53004




Engine model:MTU 20V4000G23
 Overall dimension:2576(H)*2990(W)*1907(T)
 Core size: JW2006(H)*2710(W)*70(T)
 A C1978(H)*2710(W)* 52(T)

53005




Engine model:MTU 20V4000G63/G63L
 Overall dimension:2283.5(H)*2352(W)*2087(T)
 Core size: JW1722(H)*2127(W)*88(T)
 A C 1693.5(H)*2127(W)* 52(T)

54001




Engine model:John Deere 3029TFG89
 Overall dimension:952(H)*720(W)*437.5(T)
 Core size: 650(H)*662(W)*52(T)

54002




Engine model:John Deere 3029HFG89
 Overall dimension:952(H)*720(W)*458.5(T)
 Core size: JW 650(H)*662(W)*52(T)
 A C 610(H)*605(W)*41(T)

54003




Engine model: John Deer 4045TF280
 Overall dimension: 1092(H)*894(W)*435(T)
 Core size: 748(H)*796(W)*52(T)

54004




Engine model: John Deer 4045HF280
 Overall dimension: 1093(H)*894(W)*525(T)
 Core size: JW750(H)*798.5(W)*52(T)
 A C 728(H)*742.5(W)*41(T)

54005




Engine model: John Deer 4045HF285 (147KW)
 Overall dimension: 1182(H)*937.5(W)*643(T)
 Core size: JW 880(H)*882.5(W)*70(T)
 A C 870(H)*849(W)*41(T)

54006



Enginemodel: John Deer 4045HF285(118/94KW)
 Overall dimension: 1200(H)*900(W)*587.5(T)
 Core size: JW 780(H)*830(W)*70(T)
 A C 740(H)*725(W)*41(T)

54007




Engine model:John Deer 4045HF285 (147KW)

Overall dimension:1222(H)*948(W)*509(T)

Core size: JW 880(H)*882.5(W)*70(T)

A C 870(H)*849(W)*41(T)

54008




Engine model:John Deer 6068HF285(177kw)

Overall dimension:1108(H)*900(W)*627.5(T)

Core size: JW 830(H)*840.5(W)*88(T)

A C 794(H)*749(W)*41(T)

54009




Engine model:John Deer 4045HF285(177KW)

Overall dimension:1294(H)*880(W)*499(T)

Core size: JW 980(H)*872(W)*88(T)

A C 940(H)*778(W)*41(T)

54010




Engine model:John Deer 6068HFG82(212KW)

Overall dimension:1173(H)*900(W)*481.5(T)

Core size: JW 780(H)*830(W)*88(T)


AC 744(H)*742.5(W)*62(T)

54011




Engine model: John Deer 6068HF485 (234KW)
 Overall dimension: 1377(H)*1058(W)*669(T)
 Core size: JW 1000(H)*987.5(W)*70(T)
 A C 990(H)*925(W)*62(T)

54012




Engine model: John Deer 6090HF484(287/315kw)
 Overall dimension: 1466(H)*1101(W)*737(T)
 Core size: JW 1000(H)*599(W)*106(T)
 A C 1000(H)*417(W)*62(T)

54013




Engine model: John Deer 6090HFG86(345KW)
 Overall dimension: 1658(H)*1488(W)*732(T)
 Core size: JW 1260(H)*746(W)*88(T)
 A C 1255(H)*621(W)*96(T)

54014




Engine model: John Deer 6135HFG84(401/460KW)
 Overall dimension: 1700(H)*1490(W)*672(T)
 Core size: JW 1260(H)*1418(W)*88(T)
 A C 1255(H)*1414(W)*62(T)

54015




Engine model: John Deer 6135HF485 (460KW)
 Overall dimension: 1589(H)*1490(W)*592.5(T)
 Core size: JW 1100(H)*1428.5(W)*88(T)
 A C 1054(H)*1341(W)*62(T)

54016



Engine model: John Deer 6135HFG75(563kw)
 Overall dimension: 1700(H)*1490(W)*662(T)
 Core size: JW 1260(H)*1418(W)*88(T)
 A C 1255(H)*1414(W)*62(T)

55001




Engine model:

Overall dimension:1547(H)*1216(W)*300(T)

Core size: 1150(H)*1131(W)*96(T)

55002




Engine model:

Overall dimension:1497(H)*1166(W)*300(T)

Core size: 1100(H)*1176(W)*96(T)

55003




Engine model:

Overall dimension:1580(H)*1666(W)*300(T)

Core size: 1200(H)*1598(W)*96(T)

54004




Engine model:

Overall dimension:1997(H)*1266(W)*300(T)

Core size: 1600(H)*1202(W)*96(T)

55005




Engine model:

Overall dimension:1597(H)*1262(W)*300(T)

Core size: 1200(H)*1202(W)*96(T)

55006




Engine model:

Overall dimension:1697(H)*1362(W)*300(T)

Core size: 1300(H)*1300(W)*96(T)

55007




Engine model: PERKINS 1006

Overall dimension:908(H)*726(W)*191(T)

Core size: 690(H)*675(W)*62(T)

(Copper core)

55008









Engine model: PERKINS 1006



Overall dimension:908(H)*726(W)*191(T)





Core size: 690(H)*658(W)*56(T)





(Aluminum core)





56001 	56002 
Engine model:DOUIZ Overall dimension:850*180*670 Core size: PA 559*558*56	Engine model: Overall dimension: Core size: PA 700*558*56
56010 	56011 
Engine model: DOUIZ Overall dimension: Core size: PA 559*558*56	Engine model: DOUIZ Overall dimension: Core size: PA 700*558*56

56003 	56004 
Engine model: Perkins Overall dimension: 730*167*610 Core size: PA 500*538*48 PC 500*538*49	Engine model: MT Overall dimension: Core size: PA 520*518*36


56009 	56012 
Engine model: Perkins Overall dimension: 730*167*610 Core size: PC 500*538*49 PA 500*538*48	Engine model: PERKINS TPN440 MT Overall dimension: Core size: PA 500*328*36

56015 	56016 
Engine model: GENERATOR RADIATOR Overall dimension: Core size: PA 950*1048*48/42	Engine model: GENERATOR RADIATOR Overall dimension: Core size: PA 1180*1048*48/42
56020 	56020F (56017) 
Engine model: PERKINS Overall dimension: Core size: PA 570*438*104	Engine model: PERKINS Overall dimension: Core size: PA 570*438*104

56018 	56018F (56026) 
Engine model: PERKINS Overall dimension: Core size: PA 889*438*104	Engine model: PERKINS MT Overall dimension: Core size: PA 889*438*104
56023 	56021 
Engine model: PERKINS MT Overall dimension: 870*207*535 Core size: PA 490*438*104	Engine model: PERKINS Overall dimension: Core size: PA 798*438*104

56025  Engine model: GENERATOR RADIATOR MT Overall dimension: Core size: PA 380*428*36	56025F (56024)  Engine model: GENERATOR MT Overall dimension: Core size: PA 383*428*36
56028  Engine model: GEMERATO MT Overall dimension: 700*130*575 Core size: PA 500*528*26	56029  Engine model: GENERATOR RADIATOR' MT Overall dimension: 1495*220*1100 Core size: PA 1180*1048*48

56030



Engine model: PERKINS 1004
Overall dimension:787*671*175
Core size: PA 610*580*50